



# ELLIOTT E160 TRACKED BUCKET

160' A92.2-CERTIFIED AERIAL WORK PLATFORM, ON CTRAC8000 CRAWLER CARRIER



\*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL

888-925-0858  
[www.customtruck.com](http://www.customtruck.com)



**CUSTOM  
TRUCK**  
ONE SOURCE™

# ELLIOTT E160 TRACKED BUCKET

160' A92.2-CERTIFIED AERIAL WORK PLATFORM, ON CTRAC8000 CRAWLER CARRIER

## EQUIPMENT SPECS

160' WORKING HEIGHT

215' W/ JIB

HYDRAULIC TOOL CIRCUIT W/ INTENSIFIER

5-SECTION FULLY

PROPORTIONAL MAIN BOOM

360 DEGREE WORKING AREA

30,000 LBS. LIFT CAPACITY

36" X 72" 2-MAN PLATFORM W/ CAPACITY: 1,200 LBS.

JIB LENGTHS: 32-55'

ANSI A92.2 CERTIFICATION

12'11" OAH

RIDE-AROUND SEATED OPERATOR CONTROLS

AMSTEEL BLUE SYNTHETIC ROPE

OUT-DOWN EZ CRIB OUTRIGGERS

WIRELESS RADIO REMOTE CONTROLS W/ INTEGRAL LMI DISPLAY

GREER INSIGHT FULL COLOR LMI SYSTEM

HEAVY DUTY SUBFRAME - FULL-LENGTH

OVERSIZED ROTATION BEARING AND GEARBOX

RUGGED BOOM DESIGN



\*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL

**888-925-0858**  
**www.customtruck.com**



**CUSTOM  
TRUCK**  
ONE SOURCE™

# ELLIOTT E160 TRACKED BUCKET

160' A92.2-CERTIFIED AERIAL WORK PLATFORM, ON CTRAC8000 CRAWLER CARRIER

## CHASSIS/CARRIER SPECS

### CTRAC8000:

VERSATILE, HIGH PAYLOAD, LOW GROUND PRESSURE TRACK VEHICLE

SPECIALLY DESIGNED TO DELIVER TODAY'S GENERATION OF HIGH CAPACITY CRANES & LONG-REACHING PLATFORMS TO THOSE JOBSITES YOU CAN'T REACH ON RUBBER TIRES.

ITS UNIVERSAL CHASSIS DESIGN MAKES FOR EASY MOUNTING AND DISMOUNTING BETWEEN EQUIPMENT.

THE CRANE OR LIFT MOUNTED TO THE CTRAC8000 WILL SEE NO CHANGE IN THE STANDARD LIFT CAPACITIES, CHARTS OR RANGE DIAGRAMS

THERE ARE NO MODIFICATIONS TO THE OUTRIGGERS OR CRITICAL COMPONENTS, MAINTAINING THE MANUFACTURER'S WARRANTY

STANDARD TIER 4 CUMMINS ENGINE IS COMPLIANT WITH ALL US EMISSIONS STANDARDS

EXPORT ENGINES AVAILABLE

DUAL BOGIE WHEELS MAXIMIZE STABILITY, MAINTAIN EVEN GROUND PRESSURE & IMPROVE LATERAL STABILITY

ACCEPTS ANY CRANE/AERIAL DEVICE/TRUCK-MOUNTED EQUIPMENT REQUIRING AN 80K GVWR CHASSIS



\*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL

**888-925-0858**  
**www.customtruck.com**