XT PRO 60 FORESTRY OVERCENTER AERIAL DEVICE





*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL



XT PRO 60 FORESTRY OVERCENTER AERIAL DEVICE

EQUIPMENT SPECS

EQUIPMENT: WORKING HEIGHT: 65' BOTTOM PLATFORM HEIGHT: 60' OVERCENTER SIDE REACH: 49.9' NON-OVERCENTER SIDE REACH: 45' LOWER BOOM ARTICULATION: 0° TO 125° **UPPER BOOM ARTICULATION: 0° TO 250°** SIDE MOUNTED 24" X 24" X 40" ONE PERSON PLATFORM PLATFORM CAPACITY OF UP TO 400 LBS. (181 KG) CONTROL-PLUS "3-D" SINGLE STICK AT PLATFORM CONTINUOUS UNRESTRICTED WORM GEAR **ROTATION CATEGORY "C" RATING PER ANSI A92.2 FIBERGLASS BOOMS** RECTANGULAR, BI-AXIAL EPOXY RESIN, FILAMENT WOUND INDIVIDUAL LEVER LOWER CONTROLS MECHANICAL PLATFORM LEVELING FULL PRESSURE, OPEN-CENTER HYDRAULIC SYSTEM **50 GALLON HYDRAULIC OIL RESERVOIR** PADDED BOOM RESTS WITH UPPER BOOM TIE DOWN BOOM / OUTRIGGER INTERLOCK MOVING OUTRIGGER ALARM. TRUCK LEVEL INDICATORS 10 YEAR MAINTENANCE FREE LEVELING CHAIN DUAL HYDRAULIC TOOL OUTLET AT BOOM TIP MANUAL PLATFORM TILT

STANDARD CONFIGURATION: 12.5' CHIP BOX AND HOIST ASSEMBLY WITH HOLDING VALVE 48" (4) DOOR THRU BOX SPRING LOADED CAB GUARD W/ STEPS AND GRAB HANDLES FACTORY DASH MOUNTED PTO SWITCH (2) WHEEL CHOCKS WITH UNDERBODY STORAGE (2) OUTRIGGER PADS WITH UNDERBODY STORAGE ICC REAR BUMPER WITH PH30 PINTLE HOOK ELECTRONIC TRAILER BRAKE CONTROLLER (6) PRONG TRAILER SOCKET 33 GALLON HYDRAULIC RESERVOIR







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL



XT PRO 60 FORESTRY OVERCENTER AERIAL DEVICE

CHASSIS/CARRIER SPECS

CHASSIS SPECS: FREIGHTLINER BUSINESS CLASS M2 106, PAINTED WHITE CUMMINS ISB DIESEL, 250 HP AUTOMATIC OR 6-SPEED TRANSMISSION SCR TECHNOLOGY WITH 5 GALLON DEF TANK 50 GALLON ALUMINUM FUEL TANK 141" CAB TO AXLE ALLISON 3500 RDS, 2500 RDS OR 6 SPEED MANUAL AIR BRAKES 13,300 LB SET BACK FRONT AXLE 21,000 LB REAR AXLE, FACTORY DE-RATED TO 33,000 GVWR 12R22.5G TIRES FRONT (2) AND 11R22.5G REAR (4) 50-STATE EMISSIONS COMPLIANT, CA. CLEAN IDLE AIR CONDITIONING ENGINE BLOCK HEATER DUST/BUG SCREEN MOUNTED BEHIND GRILL WEATHER BAND AM / FM RADIO MUD FLAPS







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com

ASK ABOUT THE CUSTOMIZED AND FLEXIBLE LEASING & FINANCING SOLUTIONS AVAILABLE FROM CUSTOM TRUCK CAPITAL