

WITH CAPACITIES RANGING FROM 5,000-6,500 LBS.



*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com



WITH CAPACITIES RANGING FROM 5,000-6,500 LBS.

EQUIPMENT SPECS

NAVIGATOR RT-4000 TRUCK-MOUNTED FORKLIFT: LIFT CAPACITY : 4000 LBS. **STANDARD LIFT HEIGHT : 8 FT. OPTIONAL LIFT HEIGHT : 10 FT. OVERALL HEIGHT : 98.5 IN.** MINIMUM MOUNTED OVERHANG : 64 IN. WIDTH : 100 IN. WEIGHT (READY TO OPERATE) : 3900 LBS. MAST TILT: 8° SIDE SHIFT : 5 IN. FRAME OPENING : 60 IN. FORK TRAVEL : 30 IN. DRIVE TIRES : (2) 31 X 15.5 X 15 **TRANSMISSION : HYDROSTATIC DRIVE ENGINE : 37 HP WATER COOLED DIESEL** MAX TRAVEL SPEED : 9MPH AVAILABLE ON MANY DIFFERENT CHASSIS MAKES, MODELS







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com



WITH CAPACITIES RANGING FROM 5,000-6,500 LBS.

EQUIPMENT SPECS

NAVIGATOR RT-5000 TRUCK-MOUNTED FORKLIFT: LIFT CAPACITY : 5000 LBS. **STANDARD LIFT HEIGHT : 10 FT. OPTIONAL LIFT HEIGHT : 12 FT. OVERALL HEIGHT : 104.5 IN.** MINIMUM MOUNTED OVERHANG : 75 IN. WIDTH : 100 IN. WEIGHT (READY TO OPERATE) : 5100 LBS. MAST TILT: 8° SIDE SHIFT : 5 IN. FRAME OPENING : 60 IN. FORK TRAVEL : 30 IN. DRIVE TIRES : (3) 31 X 15.5 X 15 **TRANSMISSION : HYDROSTATIC DRIVE ENGINE : 60 HP WATER COOLED DIESEL** MAX TRAVEL SPEED : 8MPH AVAILABLE ON MANY DIFFERENT CHASSIS MAKES, MODELS







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com



WITH CAPACITIES RANGING FROM 5,000-6,500 LBS.

EQUIPMENT SPECS

NAVIGATOR RT-5500 TRUCK-MOUNTED FORKLIFT: LIFT CAPACITY : 5500 LBS. **STANDARD LIFT HEIGHT : 12 FT. OPTIONAL LIFT HEIGHT : 10 FT. OVERALL HEIGHT : 104.5 IN.** MINIMUM MOUNTED OVERHANG : 75 IN. WIDTH : 100 IN. WEIGHT (READY TO OPERATE) : 5800 LBS. MAST TILT: 8° SIDE SHIFT : 5 IN. FRAME OPENING : 60 IN. FORK TRAVEL : 30 IN. DRIVE TIRES : (3) 31 X 15.5 X 15 **TRANSMISSION : HYDROSTATIC DRIVE ENGINE : 60 HP WATER COOLED DIESEL** MAX TRAVEL SPEED : 8MPH AVAILABLE ON MANY DIFFERENT CHASSIS MAKES, MODELS







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com



WITH CAPACITIES RANGING FROM 5,000-6,500 LBS.

EQUIPMENT SPECS

NAVIGATOR RT-6000 TRUCK-MOUNTED FORKLIFT: LIFT CAPACITY : 6500 LBS. **STANDARD LIFT HEIGHT : 12 FT. OPTIONAL LIFT HEIGHT : 10 FT. OVERALL HEIGHT : 104.5 IN.** MINIMUM MOUNTED OVERHANG : 75 IN. WIDTH : 100 IN. WEIGHT (READY TO OPERATE) : 6250 LBS. MAST TILT: 8° SIDE SHIFT : 5 IN. FRAME OPENING : 60 IN. FORK TRAVEL : 30 IN. DRIVE TIRES : (3) 31 X 15.5 X 15 **TRANSMISSION : HYDROSTATIC DRIVE ENGINE : 60 HP WATER COOLED DIESEL** MAX TRAVEL SPEED : 8MPH AVAILABLE ON MANY DIFFERENT CHASSIS MAKES, MODELS







*Custom Truck One Source reserves the right to change the specification of any unit at any time without prior notice. This brochure is only a statement of general specifications on the date of this publication.

888-925-0858 www.customtruck.com